

PCB Inspection System
Model: VT-S1080

OMRON

Innovating manufacturing through Omron advanced inspection technology




Working with customers to help create better manufacturing sites

In pursuit of inspection system performance for over 30 years, Omron's Inspection Systems Division has continued contributing to quality, the core element of manufacturing.

Various social issues and trends in business call for transformations in the conditions at the manufacturing site. In addition to performance and quality improvements at the manufacturing site, Omron is working on efficiency related aspects such as man-hour and skill level reductions.

Furthermore, without being limited to inspection solutions, Omron also aims to bring more transparency to the manufacturing process by developing systems to build defect-free products.

Issues at manufacturing sites




Omron's proposed solution: unmanned inspection system

Omron's ultimate solution of an unmanned inspection system aims to resolve the social issues and production floor challenges.




What is an unmanned inspection system?

It is an initiative to automate the human tasks involved in production, inspection and quality control.



New technologies that will prevail

Technological evolution of inspection equipment to achieve the unmanned inspection system



*1: Abbreviation of machine-to-machine.


It is a mechanism to optimize the quality and equipment operation status without human intervention, made possible by enabling autonomous communication and exchange of information between various connected, production equipment.

Minimization of programming efforts by quantitative inspection and AI-assisted qualitative inspection

Quantitative inspection conforming to international standards*1

Since values conforming to the standards are directly applied as inspection criteria, there is no dependency on the skill and expertise of the programmer.

*1: IATF (ISO/TS) 16949, IPC quality standards, etc.



Using AI technology to minimize programming and visual inspection efforts

Omron is developing a variety of reliable AI tools to address customer concerns such as defects going undetected and/or managing large amounts of machine learning data when using AI for inspection.

By controlling everything from AI image acquisition to model creation and testing, Omron provides end-to-end support to address all concerns about the introduction of AI that caters to production floor needs.




High-precision solder shape reconstruction helps achieve zero defect products


Equipped with Omron's own MDMC (Multi Direction/Multi Color) illumination and new MPS (Micro Phase Shift) moiré technique, the system achieves highly robust*2 and reliable inspection performance.

Patented

*2: Strong against noise that effects the judgement of inspection results such as shadows, secondary reflections, abnormal defect shapes and other uncertain factors.



Example of high-precision solder shape reconstruction



Example images from test results of customer products

Maximizing good-quality throughput by using M2M*¹ system focusing on quality

Preventing defects

*Linking with manufacturing equipment such as chip mounters

Monitoring and reporting fluctuations in the measured values during production



Predictive detection of quality


Visualizing defect trends associated with chip mounter hardware such as heads and nozzles



Process quality trend analysis




Real time reporting of inspection information to the operator or linemanager



Reporting function

Visualizing the quality

*Linking SPI/AOI/AXI systems




Process comparison




Displaying production status

Improving the first pass yield rate of the line



Optimization of inspection criteria

Automatically calculating post-print/post-placement inspection criteria based on the inspection results after the solder reflow process




*1: Abbreviation of machine-to-machine


It is a mechanism to optimize the quality and equipment operation status without human intervention, made possible by enabling autonomous communication and exchange of information between various connected, production equipment.

Continuous manufacturing made possible by equipment monitoring and predictive maintenance


Equipped with Omron control hardware technology, this system allows real-time collection of information from all the IoT connected devices inside the inspection equipment. It allows the equipment status to be visualized, enabling predictive maintenance and quality traceability.




System configuration



VT series product line-up



Outline dimensional drawing



Hardware configuration

Type	VT-S1080	
Outer dimensions	1180(W) x 1450(D) x 1500(H)mm	
Weight	Approx. 1250 kg	
Power supply	Voltage	200 to 240 V AC (Single phase); Voltage fluctuation range $\pm 10\%$
	Rated power	2.0 kVA (Maximum current 10 A)
Line height	900 $\pm$ 20mm	
Air supply	Not required	
Operating temperature range	10 to 35°C	
Operating humidity range	35 to 80% RH (Non-condensing)	
Vision system	Imaging system	12M pixel camera
	Inspection principle	MDMC*1 illumination + 3D reconstruction through MPS*2 technology
	Image resolution	12.5 μ m
	FOV	50.0 x 37.5mm

*1:Multi Direction/Multi Color *2:Micro Phase Shift

Functional specifications

Supported PCB size	50(W) x 50(D)~510(W) x 680(D)mm
Weight	(Max) 4 kg
Thickness	0.4~4mm
Clearance	Above the conveyor belt: 54 mm or less; Below the conveyor belt: 50 mm or less (Including board thickness/curvature/bend/part tolerance, etc.)
Height measurement range	25mm
Inspection item	Component height, lift, tilt, missing or wrong component, wrong polarity, flipped component, OCR inspection, 2D code, component offset (X/Y/rotation), fillet (height/length, end joint width, wetting angle, side joint length), exposed land, foreign material, land error, lead offset, lead posture, lead presence, solder ball, solder bridge, distance between components, component angle

- The application examples described in this brochure are for reference only. Please check the functions and safety of the equipment before using it
- When using in conditions or environments not described in this brochure, or for applications such as nuclear energy control systems, railroad systems, aviation systems, vehicles, combustion systems, medical equipment, amusement machines, safety equipment and others that could present a risk to life or property, Omron assumes no guarantee regarding the products except in the case of special product uses identified by Omron or with special agreement.
- When exporting (or providing to non-residents) this product, its parts or technology falling under the categories of export permissions or approved cargo (or technology) stipulated in the Foreign Exchange and Foreign Control Trade Law, an export permission and approval (or permission for service transaction) shall be necessary based on the same law.

OMRON Corporation

INDUSTRIAL AUTOMATION COMPANY INSPECTION SYSTEMS BUSINESS DIVISION SALES DEPARTMENT

Shinagawa Front Bldg. Conference 7F
2-3-13 Kounan Minato-ku Tokyo
108-0075 JAPAN
TEL: +81-3-6718-3550 FAX: +81-3-6718-3553

OMRON INDUSTRIAL AUTOMATION (CHINA) CO., LTD.

F20, Tower A, NEO Building, 6011 Shennan Avenue,
Futian District, Shenzhen, Guangdong
518048, China
TEL: +86-755-8359-9028 FAX: +86-755-8359-9628

Omron AOI Business Europe, Omron Europe B.V.

Zilverenberg 2, 5234 GM 's-Hertogenbosch, The Netherlands
TEL: +31 (0)736-481811 FAX: +31 (0)736-481879

OMRON AUTOMATION AMERICAS

2895 Greenspoint Parkway, Suite 200
Hoffman Estates, IL 60169 U.S.A
TEL: +1-847-843-7900 FAX: +1-847-843-7787

OMRON ELECTRONICS KOREA CO., LTD.

21F, Kyobo Tower B Wing, 465, Gangnam-daero,
Seocho-gu, Seoul, Korea 137-920
TEL: +82-2-3483-7789 FAX: +82-2-3483-7788

OMRON ASIA PACIFIC PTE LTD

438A Alexandra Road #05-05/08 (Lobby 2)
Alexandra Technopark Singapore 119967
TEL: +65-6835-3011 FAX: +65-6835-2711

Authorized Distributor: